


**TYPE 1S
TRAFFIC ARROW**


MARKING AREA
8.03 SQ.FT.

DRAWN BY: MARK SUJKA



MARKING AREA
7.73 SQ.FT.

**TYPE 2SR (RIGHT)
TRAFFIC ARROW**
MIRROR IMAGE OF
TYPE 2SL TRAFFIC ARROW
(SHOWN AT REDUCED SCALE)




MARKING AREA
7.73 SQ.FT.

TYPE 2SL (LEFT) TRAFFIC ARROW


NOTE

Use the dimensions shown on this plan for each type Traffic Arrow being placed on roadways with a posted speed limit of 40 mph or lower.




MARKING AREA
14.83 SQ.FT.

TYPE 3SL (LEFT) TRAFFIC ARROW



MARKING AREA
14.83 SQ.FT.

**TYPE 3SR (RIGHT)
TRAFFIC ARROW**
MIRROR IMAGE OF
TYPE 3SL TRAFFIC ARROW
(SHOWN AT REDUCED SCALE)



MARKING AREA
12.86 SQ.FT.

**TYPE 4S
TRAFFIC ARROW**



EXPIRES AUGUST 9, 2007

**SYMBOL MARKINGS
TRAFFIC ARROWS FOR
LOW SPEED ROADWAYS
STANDARD PLAN M-24.40-01**

SHEET 1 OF 2 SHEETS

APPROVED FOR PUBLICATION

Harold J. Peterfeso 05-31-06

STATE DESIGN ENGINEER

DATE



Washington State Department of Transportation

NOTE: THIS PLAN IS NOT A LEGAL ENGINEERING DOCUMENT BUT AN ELECTRONIC DIGITAL FILE. THE ORIGINAL, SIGNED BY THE ENGINEER AND APPROVED FOR PUBLICATION, IS KEPT ON FILE AT THE WASHINGTON STATE DEPARTMENT OF TRANSPORTATION. A COPY MAY BE OBTAINED UPON REQUEST.

