

City of Arlington Preliminary Site Assessment

SITE INFORMATION




Figure 1. Location Map.

Parcel Number: 00461803902100

Parcel Area (acres): 0

Site Address: 115 HALLER AVE

Maps and GIS data are distributed "AS-IS" without warranties of any kind, either express or implied, including but not limited to warranties of suitability for a particular purpose or use. Map data are compiled from a variety of sources which may contain errors and users who rely upon the information do so at their own risk. Users agree to indemnify, defend, and hold harmless the City of Arlington for any and all liabilities of any nature arising out of or resulting from the lack of accuracy or correctness of the data, or the use of the data presented in the maps.

PATTERSON MARLA KATHERINE LIVING TRUST

SITE CHARACTERISTICS

Percent Saturated/Wetland Soils Onsite		2		Low:	
	· 		USGS Aquifer	Medium:	100.0%
	0 to 8%	16.4%	Sensitivity	High:	
Slopes Onsite	8 to 12%	16.0%	Drinking Water Well Onsite?		No
	12 to 15%	9.1%			
	15 to 20%	8.8%	Soil Contamination	No	
	20 to 33%	17.9%	UST Onsite?	No	
	> 33%	31.6%	Septic System Onsit	No	

Property Owner:

Note: Not all criteria used in the preliminary BMP site assessments are summarized in this report. For a full list of criteria analyzed for each BMP please see the BMP Preliminary Site Assessment criteria tables.

PERCENT OF SITE POTENTIALLY NOT SUITABLE FOR BMP IMPLEMENTATION

Infiltrating Bioretention Cell/Swale	84%	Permeable Pavement	68%	Underground Detention and Treatment	On a site by site basis
Infiltrating Bioretention Planter	84%	Ponds and Wetlands	On a site by site basis	Aboveground Sand Filtration	On a site by site basis
Non-Infiltrating 84% Bioretention		Basic Filter Strips	On a site by site basis	Infiltration BMPs	On a site by site basis
		Biofiltration Swales	On a site by site basis	Dispersion BMPs	On a site by site basis

