

City of Arlington Preliminary Site Assessment

SITE INFORMATION



Figure 1. Location Map.

Parcel Number: 00849100004500

Parcel Area (acres): 0

Site Address: 5007 200TH PL NE

Maps and GIS data are distributed "AS-IS" without warranties of any kind, either express or implied, including but

CHERRY JONATHAN & OSTERTAG
KERRY

not limited to warranties of suitability for a particular purpose or use. Map data are compiled from a variety of sources which may contain errors and users who rely upon the information do so at their own risk. Users agree to indemnify, defend, and hold harmless the City of Arlington for any and all liabilities of any nature arising out of or resulting from the lack of accuracy or correctness of the data, or the use of the data presented in the maps.

Property Owner:

SITE CHARACTERISTICS

Percent Saturated/Wetland Soils Onsite		e		Low:	·
	· 		USGS Aquifer Sensitivity	Medium:	
	0 to 8%	76.1%		High:	100.0%
Slopes Onsite	8 to 12%	16.6%	Drinking Water Wel	I Onsite?	No
	12 to 15%	1.5%			
	15 to 20%	2.3%	Soil Contamination	No	
	20 to 33%	3.2%	UST Onsite?		No
	> 33%	0.4%	Septic System Onsit	e?	No

Note: Not all criteria used in the preliminary BMP site assessments are summarized in this report. For a full list of criteria analyzed for each BMP please see the BMP Preliminary Site Assessment criteria tables.

PERCENT OF SITE POTENTIALLY NOT SUITABLE FOR BMP IMPLEMENTATION

Infiltrating Bioretention Cell/Swale	0%	Permeable Pavement	7%	Underground Detention and Treatment	On a site by site basis
Infiltrating Bioretention Planter	0%	Ponds and Wetlands	On a site by site basis	Aboveground Sand Filtration	On a site by site basis
Non-Infiltrating Bioretention	0%	Basic Filter Strips	On a site by site basis	Infiltration BMPs	On a site by site basis
		Biofiltration Swales	On a site by site basis	Dispersion BMPs	On a site by site basis

CRITICAL AREAS MAP

