

City of Arlington Preliminary Site Assessment

SITE INFORMATION




Figure 1. Location Map.

SITE CHARACTERISTICS

Percent Saturated	d/Wetland Soils Onsite			Low:	
			USGS Aquifer	Medium:	
Slopes Onsite	0 to 8%	95.1%	Sensitivity	High:	100.0%
	8 to 12%	4.9%	Drinking Water Wel	Onsite?	No
	12 to 15%				
	15 to 20%		Soil Contamination Area Onsite?		No
	20 to 33%		UST Onsite?		No
	> 33%		Septic System Onsite?		No

Note: Not all criteria used in the preliminary BMP site assessments are summarized in this report. For a full list of criteria analyzed for each BMP please see the BMP Preliminary Site Assessment criteria tables.

PERCENT OF SITE POTENTIALLY NOT SUITABLE FOR BMP IMPLEMENTATION

Infiltrating Bioretention Cell/Swale	2%	Permeable Pavement	On a site by site basis	Underground Detention and Treatment	On a site by site basis
Infiltrating Bioretention Planter	2%	Ponds and Wetlands	On a site by site basis	Aboveground Sand Filtration	On a site by site basis
Non-Infiltrating Bioretention	2%	Basic Filter Strips	On a site by site basis	Infiltration BMPs	On a site by site basis
		Biofiltration Swales	On a site by site basis	Dispersion BMPs	On a site by site basis

