

## City of Arlington Preliminary Site Assessment

## SITE INFORMATION




Figure 1. Location Map.

Parcel Number:	31051700101400	
Parcel Area (acres):	0	
Site Address:	19711 SMOKEY POINT B	

**Property Owner:** 

OKEY POINT BLVD NE

**SOLTERO MARCIANO & SILVIA** 

Maps and GIS data are distributed "AS-IS" without warranties of any kind, either express or implied, including but not limited to warranties of suitability for a particular purpose or use. Map data are compiled from a variety of sources which may contain errors and users who rely upon the information do so at their own risk. Users agree to indemnify, defend, and hold harmless the City of Arlington for any and all liabilities of any nature arising out of or resulting from the lack of accuracy or correctness of the data, or the use of the data presented in the maps.

## SITE CHARACTERISTICS

Percent Saturated/Wetland Soils Onsite				Low:	 
			USGS Aquifer	Medium:	17.3%
	0 to 8%	87.4%	Sensitivity	High:	82.7%
Slopes Onsite	8 to 12%	4.8%	Drinking Water Wel	Drinking Water Well Onsite?	
	12 to 15%	1.8%			
	15 to 20%	1.8%	Soil Contamination	No	
	20 to 33%	4.1%	UST Onsite?	UST Onsite?	
	> 33%	0.1%	Septic System Onsit	Septic System Onsite?	

Note: Not all criteria used in the preliminary BMP site assessments are summarized in this report. For a full list of criteria analyzed for each BMP please see the BMP Preliminary Site Assessment criteria tables.

## PERCENT OF SITE POTENTIALLY NOT SUITABLE FOR BMP IMPLEMENTATION

Infiltrating Bioretention Cell/Swale	On a site by site basis	Permeable Pavement	On a site by site basis	Underground Detention and Treatment	On a site by site basis
Infiltrating Bioretention Planter	On a site by site basis	Ponds and Wetlands	On a site by site basis	Aboveground Sand Filtration	On a site by site basis
Non-Infiltrating Bioretention	0%	Basic Filter Strips	On a site by site basis	Infiltration BMPs	On a site by site basis
		Biofiltration Swales	On a site by site basis	Dispersion BMPs	On a site by site basis

