

City of Arlington Preliminary Site Assessment

SITE INFORMATION




Figure 1. Location Map.


SITE CHARACTERISTICS

Percent Saturated/Wetland Soils Onsite				Low:	
			USGS Aquifer	Medium:	
	0 to 8%	98.4%	Sensitivity	High:	100.0%
Slopes Onsite	8 to 12%	1.6%	Drinking Water We	Onsite?	No
	12 to 15%				
	15 to 20%		Soil Contamination	No	
	20 to 33%		UST Onsite?	No	
	> 33%		Septic System Onsite	Yes	

Note: Not all criteria used in the preliminary BMP site assessments are summarized in this report. For a full list of criteria analyzed for each BMP please see the BMP Preliminary Site Assessment criteria tables.

PERCENT OF SITE POTENTIALLY NOT SUITABLE FOR BMP IMPLEMENTATION

Infiltrating Bioretention Cell/Swale	0%	Permeable Pavement	On a site by site basis	Underground Detention and Treatment	On a site by site basis
Infiltrating Bioretention Planter	0%	Ponds and Wetlands	On a site by site basis	Aboveground Sand Filtration	On a site by site basis
Non-Infiltrating Bioretention	0%	Basic Filter Strips	On a site by site basis	Infiltration BMPs	On a site by site basis
		Biofiltration Swales	On a site by site basis	Dispersion BMPs	On a site by site basis



UTILITIES MAP			
		11TH AVE NE	