

## City of Arlington Preliminary Site Assessment

## SITE INFORMATION



Figure 1. Location Map.

Parcel Number:	31052000200100
Parcel Area (acres):	1
Site Address:	2408 188TH ST NE
Property Owner:	HARWELL GARY

Maps and GIS data are distributed "AS-IS" without warranties of any kind, either express or implied, including but not limited to warranties of suitability for a particular purpose or use. Map data are compiled from a variety of sources which may contain errors and users who rely upon the information do so at their own risk. Users agree to indemnify, defend, and hold harmless the City of Arlington for any and all liabilities of any nature arising out of or resulting from the lack of accuracy or correctness of the data, or the use of the data presented in the maps.

## SITE CHARACTERISTICS

Percent Saturated/Wetland Soils Onsite				Low:	
			USGS Aquifer	Medium:	
	0 to 8%	100.0%	Sensitivity	High:	100.0%
8 to 12% 12 to 15% 15 to 20% 20 to 33% > 33%		Drinking Water Well Onsite?		No	
	12 to 15%		Soil Contamination Area Onsite?		
	15 to 20%				No
	20 to 33%		UST Onsite?		No
	> 33%		Septic System Onsit	e?	Yes

Note: Not all criteria used in the preliminary BMP site assessments are summarized in this report. For a full list of criteria analyzed for each BMP please see the BMP Preliminary Site Assessment criteria tables.

## PERCENT OF SITE POTENTIALLY NOT SUITABLE FOR BMP IMPLEMENTATION

Infiltrating Bioretention Cell/Swale	18%	Permeable Pavement	18%	Underground Detention and Treatment	On a site by site basis
Infiltrating Bioretention Planter	18%	Ponds and Wetlands	18%	Aboveground Sand Filtration	18%
Non-Infiltrating Bioretention	On a site by site basis	Basic Filter Strips	On a site by site basis	Infiltration BMPs	18%
		Biofiltration Swales	On a site by site basis	Dispersion BMPs	18%



