



# City of Arlington Preliminary Site Assessment

## SITE INFORMATION



Parcel Number:	00745700000400
Parcel Area (acres):	1
Site Address:	2330 200TH ST NE
Property Owner:	SPAETH STEPHAN EDWARD

Maps and GIS data are distributed "AS-IS" without warranties of any kind, either express or implied, including but not limited to warranties of suitability for a particular purpose or use. Map data are compiled from a variety of sources which may contain errors and users who rely upon the information do so at their own risk. Users agree to indemnify, defend, and hold harmless the City of Arlington for any and all liabilities of any nature arising out of or resulting from the lack of accuracy or correctness of the data, or the use of the data presented in the maps.

Figure 1. Location Map.

## SITE CHARACTERISTICS

Percent Saturated/Wetland Soils Onsite		100.0%	USGS Aquifer Sensitivity	Low: Medium: High:	100.0%
Slopes Onsite	0 to 8%	100.0%	Drinking Water Well Onsite?		No
	8 to 12%		Soil Contamination Area Onsite?		No
	12 to 15%		UST Onsite?		No
	15 to 20%		Septic System Onsite?		Yes
	20 to 33%				
> 33%					


Note: Not all criteria used in the preliminary BMP site assessments are summarized in this report. For a full list of criteria analyzed for each BMP please see the BMP Preliminary Site Assessment criteria tables.

## PERCENT OF SITE POTENTIALLY NOT SUITABLE FOR BMP IMPLEMENTATION


Infiltrating Bioretention Cell/Swale	85%	Permeable Pavement	85%	Underground Detention and Treatment	On a site by site basis
Infiltrating Bioretention Planter	85%	Ponds and Wetlands	85%	Aboveground Sand Filtration	85%
Non-Infiltrating Bioretention	On a site by site basis	Basic Filter Strips	On a site by site basis	Infiltration BMPs	85%
		Biofiltration Swales	On a site by site basis	Dispersion BMPs	85%

# CRITICAL AREAS MAP

200TH ST NE



# UTILITIES MAP



200TH ST NE

